

Chargers

Switch-mode chargers for lead-acid batteries, with IUoU-characteristic, timer for float charge, low ripple, leads with battery clips, waterproof (IP67) version available



BC 512



BC 912

BC512/524/536/548 226x110x58mm (LxWxH) app. 1.65-1.75kg											
	<table border="1"> <thead> <tr> <th>Nominal voltage</th> <th>Output current</th> </tr> </thead> <tbody> <tr> <td>12V</td> <td>21A</td> </tr> <tr> <td>24V</td> <td>11A</td> </tr> <tr> <td>36V</td> <td>6.4A</td> </tr> <tr> <td>48V</td> <td>5.5A</td> </tr> </tbody> </table>	Nominal voltage	Output current	12V	21A	24V	11A	36V	6.4A	48V	5.5A
	Nominal voltage	Output current									
	12V	21A									
	24V	11A									
36V	6.4A										
48V	5.5A										
BC912/924/948 235x258x120mm (LxWxH) app. 5.5kg											
	<table border="1"> <tbody> <tr> <td>12V</td> <td>50A</td> </tr> <tr> <td>24V</td> <td>25A</td> </tr> <tr> <td>48V</td> <td>13A</td> </tr> </tbody> </table>	12V	50A	24V	25A	48V	13A				
	12V	50A									
	24V	25A									
	48V	13A									



MA 2040 (view from above)



MA 2040 (rear view)



MA 2045

Available devices:											
 MA2040 135x80x44mm (LxWxH) app. 350g		<table border="1"> <thead> <tr> <th>Nominal voltage</th> <th>Output current</th> </tr> </thead> <tbody> <tr> <td>12V</td> <td>4A</td> </tr> <tr> <td>24V</td> <td>2A</td> </tr> </tbody> </table>	Nominal voltage	Output current	12V	4A	24V	2A			
	Nominal voltage	Output current									
	12V	4A									
24V	2A										
 MA9740 (no image) 184x171x54 mm(LxWxH) app. 1,7 kg		<table border="1"> <tbody> <tr> <td>12V</td> <td>10A</td> </tr> <tr> <td>24V</td> <td>5.0A</td> </tr> <tr> <td>36V</td> <td>3.3A</td> </tr> <tr> <td>48V</td> <td>2.5A</td> </tr> </tbody> </table>	12V	10A	24V	5.0A	36V	3.3A	48V	2.5A	
	12V	10A									
	24V	5.0A									
	36V	3.3A									
	48V	2.5A									
 MA2045 215x186x63.5mm (LxWxH) app. 2.2kg		<table border="1"> <tbody> <tr> <td>12V</td> <td>20A</td> </tr> <tr> <td>24V</td> <td>10A</td> </tr> </tbody> </table>	12V	20A	24V	10A					
	12V	20A									
	24V	10A									